

DOCKET NO.: TN222



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Karl Wilmer Scholz et al.

: Art Unit: 2123

Serial No. :

09/702,224

: Examiner: Unknown

: Confirmation: 1300

Filed

October 31, 2000

For

DIALOGUE FLOW INTERPRETER DEVELOPMENT TOOL

Assistant Commissioner for Patents Office of Initial Patent Examination Customer Service Center Washington DC 20231

REQUEST FOR CORRECTED FILING RECEIPT

- 1. Attached is a copy of the Official Filing Receipt received from the PTO in the above application for which issuance of a Corrected Filing Receipt is respectfully requested.
- 2. There is an error with respect to the following data that is:

incorrectly entered; ar	nd/	or
	incorrectly entered; ar	incorrectly entered; and/

omitted.

Error in	Correct data
1. Applicant's name:	1.
2. Applicant's address:	2.
3. Title: DIALOGURE FLOW INTERPRETER DEVELOPMENT TOOL	3. DIALOGUE FLOW INTERPRETER DEVELOPMENT TOOL
4. Filing Date:	4.
5. Serial Number:	5.
6. Foreign/PCT Application Re:	6.
7. Other:	7.

3.	(0	omplet	te the following applicable item A or B)		
Α.	\boxtimes		The correction(s) is/are not due to any error by applicant and no fee is due.		
			OR		
В.		At least one of the above corrections is due to applicant's error and the fee therefore under 37 CFR 1.19(h) of \$25.00 is paid as follows:			
			A check in the amount of \$25.00 is attached to cover the surcharge. Please charge any deficiency or credit any overpayment to Deposit Account No. 19-3790.		
			Please charge the surcharge to my Deposit Account No. 19-3790 in the amount of \$25.00.		
Dated: A	pril 30, 2	2003	Respectfully submitted, Michael B. Atlass Registration No. 30,606		
UNISYS C Unisys Wo Blue Bell, (215) 986	ay, MS/E Pennsyl	8-114	9424-0001		
The Assistant hereby author Deposit Accor associated with	rized to char unt No. 19 -	rge paymer 3 790 of an	nt to with the United States Postal Service with sufficient postage y fees as first class mail in an envelope addressed to: Assistant		